





0919.2377550 0922.9504686

WWW.ARMANDIDEHPARDAZ.COM

021.66740895 021.88909327

Network Camera

| | Lite Mini Bullet Series | | | | |
|----|------------------------------|-------------|---|----------------|--|
| 1 | DS-2CD1023G0E-I (2.8mm) | AMORPOON _ | MP Fixed Bullet Network Camera - High quality imaging with 2 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to DWDR technology - EXIR 2.0: advanced infrared technology with long IR range | IRR 33,860,000 | |
| 2 | DS-2CD1023G2-LIU (2.8mm) | NOOM. | 2 MP Smart Hybrid Light Fixed Bullet Network Camera - High quality imaging with 2 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Built-in microphone for real-time audio security - Water and dust resistant (IP67) - Efficient H.265+ compression technology | IRR 35,320,000 | |
| 3 | DS-2CD1043G0-I (2.8MM) | HIGHSON . | 4MP Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging even with strong back lighting due to 120 dB WDR - Water and dust resistant (IP67) - EXIR 2.0: advanced infrared technology with long IR range | IRR 55,100,000 | |
| 4 | DS-2CD1043G2-LIU (2.8mm) | MASSE COLON | 4 MP Smart Hybrid Light Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Built-in microphone for real-time audio security - Water and dust resistant (IP67) - Efficient H.265+ compression technology | IRR 57,490,000 | |
| 5 | DS-2CD1T43G2-LIU (4mm) | | 4 MP Smart Hybrid Light Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Built-in microphone for real-time audio security - Water and dust resistant (IP67) - Efficient H.265+ compression technology | IRR 65,260,000 | |
| 6 | DS-2CD1067G2H-LIU (2.8mm) | | 6 MP ColorVu with Smart Hybrid Light Fixed Bullet Network Camera - High quality imaging with 6 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Efficient H.265+ compression technology - Support on-board storage up to 512 GB (SD card slot) (Optional) - Built-in microphone for real-time audio security - Water and dust resistant (IP67) | IRR 71,590,000 | |
| 7 | DS-2CD1T83G0-I (4mm) | unor Si | 4K Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Clear imaging against strong back light due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dustresistant (IP67) - Easy installation with Power over Ethernet (PoE) technology | IRR 94,000,000 | |
| | | | Lite Mini Dome Series | | |
| 8 | DS-2CD1123G0E-I (2.8mm) | ABENTSORM | 2 MP Fixed Dome Network Camera - High quality imaging with 2 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to DWDR technology - Water and dust resistant (IP67) and vandal resistant (IK10) - EXIR 2.0: advanced infrared technology with long IR range | IRR 33,860,000 | |
| 9 | DS-2CD1123G2-LIU (2.8mm) | INSTRUM | 2 MP Smart Hybrid Light Fixed Dome Network Camera - High quality imaging with 2 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Built-in microphone for real-time audio security - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal resistant (IK08) | IRR 35,310,000 | |
| 10 | DS-2CD1143G0-I (2.8mm) | HINNESON | 4 MP Fixed Dome Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light with 120 dB WDR - Water and dust resistant (IP67), vandal proof (IK10) - EXIR 2.0, advanced infrared technology with long IR distance | IRR 59,770,000 | |
| 11 | DS-2CD1143G2-LIU (2.8mm) | AMENTALON | 4 MP Smart Hybrid Light Fixed Dome Network Camera - High quality imaging with 4 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Built-in microphone for real-time audio security - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal resistant (IK08) | IRR 64,890,000 | |
| 12 | DS-2CD1357G0-L | | 5 MP ColorVu Fixed Turret Network Camera - High quality imaging with 5 MP resolution - 24/7 colorful imaging - Excellent low- light performance - Water and dust resistant (IP67) - Efficient H.265+ compression technology | IRR 91,340,000 | |
| | | | Mini Bullet Series | | |
| 13 | DS-2CD2023G2-I (2.8mm) | NOON S | MP AcuSense Fixed Bullet Network Camera - High quality imaging with 2 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) | IRR 75,970,000 | |
| 14 | DS-2CD2025FHWD-I (4 mm) | 0- | 2 MP High Frame Rate Fixed Mini Bullet Network Camera - High quality imaging with 2 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - High frame rate video to illustrate smooth movement - Water and dust resistant (IP67) - Robust structure design with full metal materials | IRR 88,340,000 | |
| | | | | | |

| 15 | DS-2CD2027G2-L (2.8mm) | AN don | 2 MP ColorVu Fixed Mini Bullet Network Camera - High quality imaging with 2 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB WDR technology - 24/7 colorful imaging - Focus on human and vehicle classification based on deep learning - Water and dust resistant (IP67) | IRR 88,150,000 |
|----|------------------------------|--|---|-----------------|
| 16 | DS-2CD2043G2-I (2.8mm) | ANSON S | 4 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 120 dB WDR technology - Focusing on human and vehicle classification based on deep learning - Water and dust resistant (IP67) | IRR 91,000,000 |
| 17 | DS-2CD2043G2-LI (2.8mm) | AUGUSSON | MP Acusense Smart Hybrid Light Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes -2U: Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) | IRR 94,070,000 |
| 18 | DS-2CD2046G2-I (2.8 mm) | OCCUPATION OF THE PROPERTY OF | 4 MP AcuSense Fixed Mini Bullet Network Camera - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Clear imaging against strong backlight due to 120 dB true WDR technology - Efficient H.265+ compression technology - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) | IRR 96,960,000 |
| 19 | DS-2CD2047G2H-LIU (2.8MM) | ANIJON ANIJON | 4 MP Smart Hybrid Light with ColorVu Fixed Mini Bullet Network Camera - High quality imaging with 4 MP resolution - Smart Hybrid Light: advanced technology with long range - Clear imaging against strong back light due to 130 dB WDR technology - Efficient H.265+ compression technology - Focus on human and vehicle classification based on deep learning -U: Built-in microphone for real-time audio security - Water and dust resistant (IP67) | ناموجود |
| 20 | DS-2CD2063G2-I (2.8mm) | M35509 | 6 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 6 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 120 dB WDR technology - Focusing on human and vehicle classification based on deep learning - Water and dust resistant (IP67) | IRR 99,600,000 |
| 21 | DS-2CD3061G2-LIUF (2.8mm) | ANSON CONTRACTOR | High quality imaging with 6 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Efficient H.265+ compression technology to save bandwidth and storage - Clear imaging against strong back light due to 120dB WDR technology - 3D DNR technology delivers clean and sharp images - Built-in microphone for real-time audio security - Support on-board storage up to 512 GB (SD card slot) - Water and dust resistant (IP67) | IRR 65,060,000 |
| 22 | DS-2CD2083G2-I (2.8mm) | M35509 | 8 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 120 dB WDR technology - Focusing on human and vehicle classification based on deep learning - Water and dust resistant (IP67) | IRR 104,850,000 |
| 23 | DS-2CD2085G1-I | мино | 4K Powered-by-DarkFighter Fixed Mini Bullet Network Camera - High quality imaging with 8 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP67) - Robust structure design with full metal material. | IRR 135,720,000 |
| 24 | DS-2CD2086G2-I (2.8 mm) | m83509 | 4K AcuSense Fixed Mini Bullet Network Camera - High quality imaging with 8 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) | IRR 141,270,000 |
| 25 | DS-2CD2087G2H-LIU (2.8mm) | ANIJON P | 8 MP Smart Hybrid Light with ColorVu Fixed Mini Bullet Network Camera - High quality imaging with 8 MP resolution - Smart Hybrid Light: advanced technology with long range - Clear imaging against strong back light due to 130 dB WDR technology - Efficient H.265+ compression technology - Focus on human and vehicle classification based on deep learning -U: Bullt-in microphone for real-time audio security - Water and dust resistant (IP67) | IRR 134,440,000 |
| | | | Bullet Series 4 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Clear imaging against strong backlight | |
| 26 | DS-2CD2T43G2-2I (4mm) | 14 cm 0 0 | due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) - Focus on human and vehicle targets classification based on deep learning | IRR 96,700,000 |
| 27 | DS-2CD2T43G2-4I (4mm) | non , c | 4 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) - Focus on human and vehicle targets classification based on deep learning | IRR 102,000,000 |
| 28 | DS-2CD2T43G2-4LI (4mm) | and the state of t | 4 MP Acusense Smart Hybrid Light Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal-resistant (IK10) | IRR 105,000,000 |
| 29 | DS-2CD2T45FWD-I8 (2.8mm) | n.co 0 c) | 4 MP Powered-by-DarkFighter Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP67) - Robust structure design with full metal materials | ناموجود |
| 30 | DS-2CD2T47G2-L (4mm) | (C) | 4 MP ColorVu Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 130 dB WDR technology - Focus on human and vehicle targets classification based on deep learning - 24/7 colorful imaging - Water and dust resistant (IP67) | IRR 134,500,000 |
| 31 | DS-2CD2T63G2-4I (4mm) | 0000 | 6 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 6 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) - Focus on human and vehicle targets classification based on deep learning | IRR 107,870,000 |
| 32 | DS-2CD2T67G2H-LI (4mm) | | 6 MP Smart Hybrid Light with Color Vu Fixed Bullet Network Camera - High quality imaging with 6 MP resolution - Smart Hybrid Light: advanced technology with long range - Clear imaging against strong back light due to 130 d | IRR 178,000,000 |
| 33 | DS-2CD2T83G2-4I (4mm) | nor o c | 8 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) - Focus on human and vehicle targets classification based on deep learning | IRR 126,990,000 |

| 34 | DS-2CD2T86G2-4I | version to b | 4K AcuSense Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light by 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) | IRR 162,410,000 |
|----|--------------------------------|---------------|---|-----------------|
| 35 | DS-2CD2T87G2-L (2.8mm) | MAN (3) | 4K ColorVu Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 130 dB WDR technology - Focus on human and vehicle classification based on deep learning - 24/7 colorful imaging | ناموجود |
| | | | Dome Series | |
| 36 | DS-2CD2123G2-IU (2.8mm) | | 2 MP AcuSense Built-in Mic Fixed Dome Network Camera - High quality imaging with 2 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Built-in microphone for real-time audio security - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) and vandal resistant (IK10) | IRR 73,180,000 |
| 37 | DS-2CD2126G2-ISU (2.8mm) | | 2 MP AcuSense Fixed Dome Network Camera - High quality imaging with 2 MP resolution - Excellent low light performance with powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle classification based on deep learning -SU: Built-in microphone for real-time audio security, Audio and alarm interface available - Water and dust resistant (IP67) and vandal resistant (IK10) | IRR 95,010,000 |
| 38 | DS-2CD2327G2-L (2.8mm) | 6 | 2 MP ColorVu Fixed Turret Network Camera - High quality imaging with 2 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB WDR technology - Focusing on human and vehicle classification based on deep learning - 24/7 colorful imaging - Water and dust resistant (IP67) | IRR 94,500,000 |
| 39 | DS-2CD2143G2-IU (2.8 mm) | | 4 MP AcuSense Built-in Mic Fixed Dome Network Camera - High quality imaging with 4 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Built-in microphone for real-time audio security - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) and vandal resistant (IK10) | IRR 88,280,000 |
| 40 | DS-2CD2143G2-LIS2U (2.8MM) | accosts. | 4 MP Acusense Smart Hybrid Light Fixed Dome Network Camera - High quality imaging with 4 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes -2U: Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal-resistant (IK10 | IRR 94,090,000 |
| 41 | DS-2CD3143G2-IU (2.8mm) | | 4 MP Vandal WDR Fixed Dome Network Camera - High quality imaging with 4 MP resolution Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle classification based on deep learning - Built-in arrayed dual-microphone for real-time high quality audio security - Water and dust resistant (IP67) and vandal-resistant (IK10) | IRR 92,120,000 |
| 42 | DS-2CD2347G2-L (2.8mm) | | 4 MP ColorVu Fixed Turret Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 130 dB WDR technology - Focus on human and vehicle targets classification based on deep learning - 24/7 colorful imaging - Water and dust resistant (IP67) | IRR 112,600,000 |
| 43 | DS-2CD2163G2-IU (2.8mm) | | 6 MP AcuSense Built-in Mic Fixed Dome Network Camera - High quality imaging with 6 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Built-in microphone for real-time audio security - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) and vandal resistant (IK10) | IRR 94,400,000 |
| 44 | DS-2CD2163G2-LIS2U (2.8MM) | action (| 6 MP Acusense Smart Hybrid Light Fixed Dome Network Camera - High quality imaging with 6 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes -2U: Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal-resistant (IK10 | IRR 98,300,000 |
| 45 | DS-2CD3161G2-LIUF | acmin Control | 6 MP Smart Hybrid Light Motion 2.0 Fixed Mini Dome Network Camera - High quality imaging with 6 MP resolution Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Efficient H.265+ compression technology - Clear imaging against strong back light due to 12 0d 8 MDR technology - 3D DNR technology delivers clean and sharp images - Built-in microphone for real-time audio security - Support on-board storage up to 512 GB (SD card slot) - Water and dust resistant (IP67) and vandal proof (IK08) | IRR 68,180,000 |
| 46 | DS-2CD2183G2-IU (2.8mm) | | 8 MP AcuSense Built-in Mic Fixed Dome Network Camera - High quality imaging with 8 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Built-in microphone for real-time audio security - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) and vandal resistant (IK10) | IRR 99,420,000 |
| 47 | DS-2CD2185FWD-I | MINASSIN | 4K Fixed Dome Network Camera - High quality imaging with 8 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP67) and vandal proof (IK10) - Robust structure design with full metal materials | IRR 134,300,000 |
| 48 | DS-2CD2183G2-LIS2U (2.8MM) | AMERICA . | 8 MP Acusense Smart Hybrid Light Fixed Dome Network Camera - High quality imaging with 8 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes -2U: Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal-resistant (IK10) | IRR 103,400,000 |
| 49 | DS-2CD3183G2-ISU | | 8 MP Acusense Fixed Dome Network Camera - High quality imaging with 8 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle classification based on deep learning - Built-in microphone for real-time audio security - Water and dust resistant (IP67) and vandal-resistant (IK10) | IRR 109,450,000 |
| | | | Varifocal - Motorized Series | |
| 50 | DS-2CD1643G0-IZ (2.8-12mm) | 0 | 4 MP Varifocal Bullet Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging even with strong back lighting due to 120 dB WDR - Up to 256 GB SD card slot for storage - 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IP67) - EXIR 2.0: advanced infrared technology with long IR range | ناموجود |
| 51 | DS-2CD2643G2-IZS (2.8-12mm) | ADDOC | 4 MP AcuSense Motorized Varifocal Bullet Network Camera - High quality imaging with 4 MP resolution - Motorized varifocal lens for easy installation and monitoring - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal resistant (IK10) - Focus on human and vehicle targets classification based on deep learning | IRR 162,540,000 |

| 52 | DS-2CD2646G2-IZS (2.8-12mm) | O AND O | 4 MP AcuSense Motorized Varifocal Bullet Network Camera - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Motorized varifocal lens for easy installation - Clear imaging against strong backlight due to 120 dB true WDR technology - Efficient H.265+ compression technology - Audio and alarm interface available - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP66) and vandal-resistant (IRXI) | IRR 193,150,000 |
|----|-----------------------------------|--------------|---|-----------------|
| 53 | DS-2CD2663G2-IZS (2.8-12mm) | Athor O | 6 MP AcuSense Motorized Varifocal Bullet Network Camera - High quality imaging with 6 MP resolution - Motorized varifocal lens for easy installation and monitoring - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal resistant (IK10) - Focus on human and vehicle targets classification based on deep learning | ناموجود |
| 54 | DS-2CD2683G2-IZS (2.8-12mm) | ARRIVA | 8 MP AcuSense Motorized Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution - Motorized varifocal lens for easy installation and monitoring - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal resistant (IK10) - Focus on human and vehicle targets classification based on deep learning | ناموجود |
| 55 | DS-2CD2683G2-LIZS2U (2.8-12mm) | 2000 | 8 MP Acusense Smart Hybrid Light Motorized Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes - Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology Efficient H.265+ compression technology - Motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IP67) and vandal-resistant (IK10) | IRR 198,300,000 |
| 56 | DS-2CD2686G2-IZS (2.8-12mm) | action (3) | 4K AcuSense Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available - Water and dust resistant (IP66) and vandal proof (IK10) | IRR 241,250,000 |
| 57 | DS-2CD2687G2HT-LIZS | 100 | 8 MP Smart Hybrid Light with ColorVu Motorized Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution - Smart Hybrid Light: advanced technology with long range - Clear imaging against strong back light due to 130 dB WDR technology - Efficient H.265+ compression technology - Motorized varifocal lens for easy installation and monitoring - Focus on human and vehicle classification based on deep learning - Water and dust resistant (IP67) and vandal resistant (IK10) | IRR 261,400,000 |
| 58 | DS-2CD2H25FWD-IZS (2.8-12mm) | MINI LY SAIV | 2 MP Powered-by-DarkFighter Varifocal Turret Network Camera - High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP66) and vandal proof (IK10) - Motorized varifocal lens for easy installation and monitoring - Robust structure design with full metal materials | IRR 163,970,000 |
| 59 | DS-2CD1743G0-IZ (2.8-12mm) | annum s | 4 MP Varifocal Dome Network Camera - High quality imaging with 4 MP resolution Efficient H.265+ compression technology - Clear imaging even with strong back lighting due to 120 dB WDR Up to 256 GB memory card slot for storage - 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IP67) and vandal proof (IK10) - EXIR 2.0: advanced infrared technology with long IR range | ناموجود |
| 60 | DS-2CD1743G2-LIZU (2.8-12mm) | aurali (| 4 MP Dual Light MD 2.0 Varifocal Dome Network Camera - High quality imaging with 4 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Clear imaging against strong back light due to 120 dB true WDR technology - Support on-board storage up to 512 GB (SD card slot) - Efficient H.265+ compression technology - Built-in microphone for real-time audio security - 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IP67), vandal proof (IK08) | IRR 99,040,000 |
| 61 | DS-2CD2743G2-IZS (2.8-12mm) | | 4 MP AcuSense Motorized Varifocal Dome Network Camera - High quality imaging with 4 MP resolution Motorized varifocal lens for easy installation and monitoring - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal proof (IK10) - Focus on human and vehicle targets classification based on deep learning | IRR 168,770,000 |
| 62 | DS-2CD2783G2-IZS (2.8-12mm) | | 8 MP AcuSense Motorized Varifocal Dome Network Camera - High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal proof (IK10) - Focus on human and vehicle targets classification based on deep learning | ناموجود |
| 63 | DS-2CD2783G2-LIZS2U | | 8 MP Acusense Smart Hybrid Light Motorized Varifocal Dome Network Camera - High quality imaging with 8 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 3 supplemental lighting modes - Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology Efficient H.265+ compression technology - Motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IFCO) and vandal-resistant (IKCO) | IRR 198,300,000 |
| 64 | DS-2CD2786G2-IZS (2.8-12mm) | account . | 4K AcuSense Varifocal Dome Network Camera - High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available - Water and dust resistant (IP66) and vandal proof (IK10) | ناموجود |
| 65 | DS-2CD2787G2HT-LIZS | SECTION | 8 MP Smart Hybrid Light with ColorVu Motorized Varifocal Dome Network Camera - High quality imaging with 8 MP resolution - Motorized varifocal lens for easy installation and monitoring - Smart Hybrid Light: advanced technology with long range - Clear imaging against strong backlight due to 130 dB WDR technology Efficient H.265+ compression technology - Motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IP67) and vandal resistant (IK10) | IRR 248,330,000 |
| | | | Cube Series | |
| 66 | DS-2CD2443G0-IW | | 4 MP Indoor WDR Fixed Cube Network Camera - High quality imaging with 4 MP resolution Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Provides real-time security via built-in two-way audio - Detects human body through passive infrared is sensitive to body temperature (PIR) -W: Wi-Fi connection | IRR 91,790,000 |
| 67 | DS-2CD2955G0-ISU (1.05mm) | MASSEM . | Fish Eye Series 5MP Fixed Fisheye Network Camera - High quality imaging with 5 MP resolution - Efficient H.265+ compression technology - 180* fisheye view - Clear imaging against strong back light due to 120 dB true WDR technology - Audio and alarm interface available | ناموجود |

| | | | PTZ Series | | |
|----------------------|---|--|--|--|--|
| 68 | DS-2DE4225IW-DE-T5 | ANALY CONTRACTOR OF THE PROPERTY OF THE PROPER | 2 MP 25X Powered by DarkFighter IR Network Speed Dome - Focuses on human and vehicle targets classification based on deep learning - Support face capture. Up to 5 faces captured at the same time 1/2.8" progressive scan CMOS - High quality imaging with 2 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - 25× optical zoom and 16× digital zoom provide close up views over expansive areas - Expansive night view with up to 100 m IR distance - Support H.265+/H.265 video compression | IRR 298,040,000 | |
| 69 | DS-2DE4425IW-DE-T5 | | 4 MP 25X Powered by DarkFighter IR Network Speed Dome - Focuses on human and vehicle targets classification based on deep learning - Support face capture. Up to 5 faces captured at the same time 1/2.8" progressive scan CMOS - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - 25× optical zoom and 16× digital zoom provide close up views over expansive areas - Expansive night view with up to 100 m IR distance - Support H.265+/H.265 video compression | IRR 338,710,000 | |
| 70 | DS-2SE4C225MWG-E | ALACK (E) | TandemVu 4-inch 2 MP 25X Colorful & IR Network Speed Dome - Captures a large area and great details at the same time - High quality imaging with 2 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology and ColorVu technology - Secures an expansive area with 25× optical zoom and 16× digital zoom - Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus - Expansive night view with up to 100 m IR distance & 30 m white light - Supports 12V DC & PoE+ - Focuses on human and vehicle targets classification based on deep learning | IRR 395,480,000 | |
| 71 | DS-2SE4C425MWG-E | | TandemVu 4-inch 4 MP 25X Colorful & IR Network Speed Dome - Captures a large area and great details at the same time - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology and ColorVu technology - Secures an expansive area with 25× optical zoom and 16× digital zoom - Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus - Expansive night view with up to 100 m IR distance & 30 m white light - Supports 12V DC & PoE+ - Focuses on human and vehicle targets classification based on deep learning | IRR 473,880,000 | |
| 72 | DS-2DE7A232IW-AEB (T5) | ANTIBODA (SECONDARIO) | 7-inch 2 MP 32X Powered by DarkFighter IR Network Speed Dome - 1/2.8" progressive scan CMOS - High quality imaging with 2 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Audio visual alarm: The white flashing light and audible warning can be triggered by certain events - 32x optical 200m and 16x digital 200m provide close up views over expansive areas - Expansive night view with up to 200 m IR distance - Focuses on human and vehicle targets classification based on deep learning - Face capture: Up to 5 faces captured at the same time | IRR 534,420,000 | |
| 73 | DS-2DE7A432IW-AEB (T5) | /#5550b | 7-inch 4 MP 32X Powered by DarkFighter IR Network Speed Dome - 1/1.8" progressive scan CMOS - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Audio visual alarm: The white flashing light and audible warning can be triggered by certain events - 32× optical zoom and 16× digital zoom provide close up views over expansive areas - Expansive night view with up to 200 m IR distance - Focuses on human and vehicle targets classification based on deep learning - Face capture: Up to 5 faces captured at the same time | IRR 619,000,000 | |
| | Network Video Recorder | | | | |
| | | | received in the contract | | |
| | | | NVR - 4ch | | |
| 74 | DS-7604NI-K1 | - | | IRR 77,260,000 | |
| 74 | DS-7604NI-K1 | | NVR - 4ch 4-ch 1U 4K NVR - Up to 4-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats | IRR 77,260,000 | |
| 74 75 | DS-7604NI-K1 DS-7608NXI-K1 | | NVR - 4ch 4-ch 1U 4K NVR - Up to 4-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 40 Mbps incoming bandwidth | IRR 77,260,000 IRR 88,700,000 | |
| | | | NVR - 4ch 4-ch 1U 4K NVR - Up to 4-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 40 Mbps incoming bandwidth NVR - 8ch 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - | | |
| 75 | DS-7608NXI-K1 | | A-ch 1U 4K NVR - Up to 4-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 40 Mbps incoming bandwidth NVR - 8ch 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - | IRR 88,700,000 | |
| 75 | DS-7608NXI-K1 | | NVR - 4ch 4-ch 1U 4K NVR - Up to 4-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 40 Mbps incoming bandwidth NVR - 8ch 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs | IRR 88,700,000 | |
| 75 | DS-7608NXI-K1 DS-7608NXI-K2 | | NVR - 4ch 4-ch 1U 4K NVR - Up to 4-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 40 Mbps incoming bandwidth NVR - 8ch 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs NVR - 16ch 16-ch 1U 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.264+/H.264 video formats - Up to 1-ch@8 MP/3-ch@4 MP/6- | IRR 88,700,000 IRR 115,950,000 | |
| 75 76 77 | DS-7608NXI-K1 DS-7608NXI-K2 DS-7616NI-Q2 | | NVR - 4ch 4-ch 1U 4K NVR - Up to 4-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 40 Mbps incoming bandwidth NVR - 8ch 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs NVR - 16ch 16-ch 1U 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 160 Mbps incoming bandwidth | IRR 88,700,000 IRR 115,950,000 IRR 106,810,000 | |
| 75 76 77 78 | DS-7608NXI-K1 DS-7608NXI-K2 DS-7616NI-Q2 DS-7616NXI-K1 | | NVR - 4ch 4-ch 1U 4K NVR - Up to 4-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 40 Mbps incoming bandwidth NVR - 8ch 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs 8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs NVR - 16ch 16-ch 1U 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 160 Mbps incoming bandwidth 16-ch 1U K Series AcuSense 4K NVR - Up to 16-ch IP camera inputs H.265+/H.265+/H.264+/H.264 video formats - Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 160 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs 16-ch 1U K Series AcuSense 4K NVR - Up to 16-ch IP camera inputs H.265+/H.265+/H.264+/H.264 video formats - Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity - Up to 160 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security | IRR 88,700,000 IRR 115,950,000 IRR 106,810,000 | |

| | | | NVR - 32ch | |
|----|------------------|------|--|-------------------|
| 82 | DS-7732NXI-K4 | 0 | 32-ch 1.5U K Series AcuSense 4K NVR - Up to 32-ch IP camera inputs H.265+/H.265+/H.264+/H.264 video formats - Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity - Up to 256 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs | IRR 285,620,000 |
| 83 | DS-7732NI-K4/16P | | 32-ch 1.5U 16 PoE 4K NVR - Up to 32-ch IP camera inputs - H.265+/H.265+/H.264-/H.264 video formats Up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity - Plug & play with 16 power-over-Ethernet (PoE) interfaces - Up to 256 Mbps incoming bandwidth | IRR 388,090,000 |
| 84 | DS-9632NXI-18/S | in 1 | 32-ch 2U 4K AcuSense NVR - H.265+/H.265+/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm - Up to 4-ch perimeter protection Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture Up to 32-ch IP camera inputs - Up to 16-ch 1080p decoding capability - Up to 320 Mbps incoming bandwidth - Up to 8-ch IP speakers can be connected | IRR 862,000,000 |
| 85 | DS-9632NI-M8 | | 32-ch 2U 8K NVR - Up to 32-ch IP camera inputs - Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity - Up to 320 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth - 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video outputs Supports special cameras, including people counting camera, ANPR (automatic number plate recognition) camera, and fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks - Up to 8-ch IP speakers can be connected | IRR 906,870,000 |
| 86 | DS-9632NI-M16 | | 32-ch 3U 4K NVR - Up to 32-ch IP camera inputs - Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity - Up to 320 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth - 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video outputs Supports special cameras, including people counting camera, ANPR (automatic number plate recognition) camera, and fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks - Up to 8-ch IP speakers can be connected | IRR 1,228,860,000 |
| | | | NVR - 64ch | |
| 87 | DS-9664NI-M8 | | 64-ch 2U 4K NVR - Up to 64-ch IP camera inputs - Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity - Up to 400 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth - 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video outputs Supports special cameras, including people counting camera, ANPR (automatic number plate recognition) camera, and fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks - Up to 8-ch IP speakers can be connected | IRR 1,258,800,000 |
| 88 | DS-9664NI-M16 | | 64-ch 3U 4K NVR - Up to 64-ch IP camera inputs - Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity - Up to 400 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth - 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video outputs Supports special cameras, including people counting camera, ANPR (automatic number plate recognition) camera, and fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks - Up to 8-ch IP speakers can be connected | IRR 1,951,350,000 |

www.armandidehpardaz.com | 02188909327 \ 02166740895

تهران- خيابان كريمخان، خيابان نجات الهي، كوچه خسرو، پلاك 45، واحد 2







0919.2377550 0922.9504686

WWW.ARMANDIDEHPARDAZ.COM

021.66740895 021.88909327

Turbo HD CAMERA

| | 2MP Bullet Series | | | | |
|----|----------------------------------|--|--|----------------|--|
| 1 | DS-2CE16D0T-ITF (3.6 mm) | Angu | 2 MP Fixed Mini Bullet Camera - Smart IR: up to 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | IRR 21,080,000 | |
| 2 | DS-2CE16D0T-ITFS (2.8mm) | acce | 2 MP Audio Fixed Mini Bullet Camera - Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | IRR 26,170,000 | |
| 3 | DS-2CE16D0T-ITFS (3.6mm) | auce | 2 MP Audio Fixed Mini Bullet Camera - Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | IRR 25,860,000 | |
| 4 | DS-2CE16D3T-IT3F (2.8mm) | To and | 2 MP Ultra Low Light Fixed Bullet Camera - Strong night performance, capturing images in ultra-low light down to 0.005 lux - Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images - EMR 2.0 - advanced infrared technology with 50 m IR distance - Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | IRR 33,030,000 | |
| 5 | DS-2CE17D0T-IT1F | 0 min | 2 MP Fixed Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) | ناموجود | |
| 6 | DS-2CE17D0T-IT3F (2.8mm) | O anno M | 2 MP Fixed Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) | IRR 34,410,000 | |
| 7 | DS-2CE10DF0T-F | NOODAY . | 2 MP ColorVu Fixed Mini Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with FL.0 aperture - 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mmf/xed focal lens - Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IPG7) | IRR 47,730,000 | |
| 8 | DS-2CE10DF3T-FS (2.8mm) | ANUSAN | 2 MP ColorVu Audio Fixed Mini Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging - High quality audio with audio over coaxial cable, built-in mic - One port for four switchable signals (TVI/AHD/CVI/CVIS) - Water and dust resistant (IP67) | IRR 50,610,000 | |
| 9 | DS-2CE12DF3T-F (3.6mm) | AMATON | 2 MP ColorVu Fixed Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 28 mm, 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging - 0ne port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) | IRR 49,720,000 | |
| 10 | DS-2CE12DF3T-FS (2.8mm) | A00.07400 | 2 MP ColorVu Audio Fixed Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging - One port for four switchable signals (TV/AHD/CVI/CVBS) - Water and dust resistant (IP67) - High quality audio with audio over coaxial cable, built-in mic | IRR 56,940,000 | |
| | | | 2MP Turret Series | | |
| 11 | DS-2CE76D0T-ITMF (2.8mm) | | MP Fixed Turret Camera - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | IRR 24,420,000 | |
| 12 | DS-2CE76D0T-ITMFS (2.8mm) | | 2 MP Audio Fixed Turret Camera - Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | IRR 27,940,000 | |
| 13 | DS-2CE76D3T-ITPF | | 2 MP Ultra Low Light Indoor Fixed Turret Camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infraed technology with 30 m IR distance - 4 in 1 (4 signals switchable TV/AHD/CVI/CVBS) | IRR 25,860,000 | |
| 14 | DS-2CE76D3T-ITMF (2.8mm) | 6 | 2 MP Ultra Low Light Fixed Turret Camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 30 m IR distance - Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | IRR 35,420,000 | |
| 15 | DS-2CE78D0T-IT3FS | | MP Audio Fixed Turret Camera - Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | ناموجود | |
| 16 | DS-2CE56D0T-VFIR3F (2.8-12mm) | (A) | 2 MP Manual Varifocal Turret Camera - 2.8 mm to 12 mm varifocal lens Up to 40 m IR distance for bright night imaging - Water and dust resistant (IP66) One port for four switchable signals (TVI/AHD/CVI/CVBS) | IRR 47,890,000 | |
| 17 | DS-2CE72DF3T-F (3.6mm) | STATE OF THE STATE | 2 MP ColorVu Fixed Turret Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm fixed focal lens - Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) | IRR 37,750,000 | |
| 18 | DS-2CE70DF3T-PF (3.6mm) | MITTION . | 2 MP ColorVu Fixed Turret Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) | IRR 35,270,000 | |
| | | | 5MP Bullet Series | | |

| | | 1 | | |
|----|---------------------------------|---|--|-----------------|
| 19 | DS-2CE16H0T-ITPFS (3.6mm) | acce | 5 MP Audio Fixed Mini Bullet Camera - 5 MP, 2560 × 1944 resolution Digital WDR - 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 25 m IR distance - Audio over coasid cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67 | IRR 31,800,000 |
| 20 | DS-2CE17H0T-IT3F (3.6mm) | ACCOM A | 5 MP Fixed Bullet Camera - High quality imaging with 5 MP, 2560 × 1944 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) | IRR 35,800,000 |
| 21 | DS-2CE17H0T-IT3FS (2.8mm) | NCON N | 5 MP Audio Fixed Bullet Camera - High quality imaging with 5 MP, 2560 × 1944 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m IR distance for bright night imaging One port for four switchable signals (TW/AHD/CV/CVBS) Water and dust resistant (P67) - High quality audio with audio over coaxial cable, built-in mic | IRR 44,250,000 |
| | | | 5MP Turret Series | |
| 22 | DS-2CE76H0T-ITMF (2.8mm) | | 5 MP Fixed Turret Camera - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | IRR 31,840,000 |
| 23 | DS-2CE78H0T-IT1F (2.4mm) | | 5 MP Fixed Turret Camera - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | IRR 35,440,000 |
| 24 | DS-2CE78H0T-IT3FS (3.6mm) | | 5 MP Audio Fixed Turret Camera - 5 MP, 2560 × 1944 resolution Digital WDR - 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 40 m IR distance - Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67 | IRR 37,790,000 |
| 25 | DS-2CE79H0T-IT3ZF (2.8-12mm) | | 5 MP Motorized Varifocal Turret Camera - High quality imaging with 5 MP, 2560 × 1944 resolution 2.7 mm to 13.5 mm motorized varifocal lens - Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) | IRR 68,010,000 |
| 26 | DS-2CE72HFT-F28 (2.8mm) | | 5 MP ColorVu Fixed Turret Camera - 5 MP full time color turret camera 24/7 full color imaging - 2.8 mm fixed focal lens Warm supplemental light with 20 m range - Clear imaging even against strong back lighting due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) | IRR 59,660,000 |
| | | | 6MP Turret Series | |
| 27 | DS-2CE72KF0T-FS (2.8mm) | (a.mir) | 3K ColorVu Audio Fixed Turret Camera - High quality imaging with 3K, 2960 × 1665 resolution 24/7 color imaging with F1.0 aperture - 2.8 mm and 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) - High quality audio with audio over coaxial cable, built-in mic | IRR 55,560,000 |
| | | | 8MP Turret Series | |
| 28 | DS-2CE78U8T-IT3 | and the second | 4K Fixed Turret Camera - 8 MP high performance turret camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 60 m IR distance - Water and dust resistant (IP67) - Dual outputs (HDTVI and CVBS signals output simultaneously) | IRR 90,360,000 |
| | | | PTZ Series | |
| 29 | DS-2AE4225TI-D | | 4-inch 2 MP 25X Powered by DarkFighter IR Analog Speed Dome - High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology - Clear imaging against strong back lighting due to 120 dB WDR technology - Pan and tilt ability enables camera to monitor zones of interest 25 × optical zoom allows for closer viewing of subjects in expansive areas Up to 100 m IR range ensures safety at night - Water and dust resistant (IP66) | IRR 268,170,000 |
| | | | Digital Video Recorder | |
| | | | DVR - 4ch | |
| 30 | IDS-7204HQHI-M1/S | # 6 g s | 4-ch 1080p 1U H.265 AcuSense DVR - 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 3K/5M Lite @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 6 network cameras can be connected | IRR 67,180,000 |
| 31 | DS-7204HUHI-K1 | | 4-ch 5 MP 1U H.265 DVR - 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology - Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 8 network cameras can be connected | IRR 97,240,000 |
| 32 | DS-7204HUHI-K1/P | | 4-ch 5 MP 1U H.265 PoC DVR - 4 channels and 1 HDD 1U DVR Efficient H.855 por compression technology - 1 troncoling ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTV/4HD/CVI/CVBS/IP) - Up to 8 network cameras can be connected Transmits both HDTVI video and power over the same coaxial cable | IRR 92,270,000 |
| 33 | IDS-7204HUHI-M1/E | **** | 4-ch 5MP 1U H.265 AcuSense DVR - Deep learning based human and vehicle targets classification of Motion Detection 2.0 - Deep learning-based perimeter protection - H.265 Pro/H.265 Pro/H.265 Pro/H.265 video compression HDTVI/AHD/CVI/CVBS/IP video inputs - Audio via coaxial cable - Up to 6-ch IP camera inputs (up to 8 MP) Up to 8 MP@8 fps encoding capability | IRR 82,530,000 |
| 34 | iDS-7204HUHI-M1/S | 0.03. | 4-ch 5 MP 1U H.265 AcuSense DVR - 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding abilty up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 8 network cameras can be connected | IRR 102,450,000 |
| | | | DVR - 8ch | |
| 35 | IDS-7208HQHI-M1/XT | 京乡庙, | 8-ch 1080p 1U H.265 AcuSense DVR - Support 2-ch Facial Recognition or 4-ch advanced model Perimeter Protection based on Deep Learning algorithm - Support 4-ch AcuSearch Technology - Efficient H.265 pro+ compression technology - Encoding ability up to 3K/5M Lite @ 12 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 12 -ch network cameras can be connected - Support All channels Motion Detection Technology - Support All channels HDTVI Two-Way Audio Technology | IRR 92,240,000 |
| 36 | iDS-7208HQHI-M1/S | *************************************** | 8-ch 1080p 1U H.265 AcuSense DVR - 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 3K/5M Lite @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 12 network cameras can be connected | ناموجود |
| 37 | iDS-7208HUHI-M1/S | 0.03. | 8-ch 5 MP 1U H.265 AcuSense DVR - 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding abilty up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 16 network cameras can be connected | IRR 178,970,000 |
| 38 | iDS-7208HTHI-M2/S | **** | 8-ch 4K 1U H.265 AcuSense DVR - 8 channels and 2 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro-compression technology - Encoding ability up to 8 MP @ 15 fps | IRR 257,320,000 |

| | | | DVR - 16ch | |
|----|--------------------|--------------|--|-----------------|
| 39 | DS-7216HGHI-K1 | 0.00 | 16-ch 1080p Lite 1U H.265 DVR - Deep learning based human and vehicle targets classification of Motion Detection 2.0 - H.265 Pro+/H.265 Pro/H.265 Video compression - HDTV/AHD/CVI/CVBS/IP video input Audio via coavial cable - Up to 18-6 h IP camera inputs (up to 5 MP) Up to 1080p Lite@15 fps encoding capability - Max. 1200 m for 720p HDTVI signal | IRR 74,770,000 |
| 40 | iDS-7216HQHI-M1/E | 0.00 | 16-ch 1080p 1U H.265 AcuSense DVR - Deep learning based human and vehicle targets classification of Motion Detection 2.0 - Deep learning-based perimeter protection - H.265 Pro-H.265 Pro-H.265 video compression HDTVI/AHD/CVI/CVBS/IP video inputs - Audio via coasial cable - Up to 24-ch IP camera inputs (up to 6 MP) Encoding ability up to 3K/SM Lite @ 12 fps | IRR 150,720,000 |
| 41 | IDS-7216HQHI-M1/XT | 0.0 5 | 16-ch 1080p 1U H.265 AcuSense DVR - Support 4-ch Facial Recognition or 8-ch advanced model Perimeter - Protection based on Deep Learning algorithm - Support 8-ch AcuSearch Technology - Efficient H.265 prot - compression technology - Encoding ability up to 3K/SMP Lite@12fps - Up to 24-ch IP camera inputs, each channel up to 6MP - Up to 24*1080P@30fps decoding ability - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Support All channels Motion Detection Technology - Support All channels HDTVI Two-Way Audio Technology | IRR 169,190,000 |
| 42 | IDS-7216HQHI-M1/S | *** | 16-ch 1080p 1U H.265 AcuSense DVR - 16 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 3K/SM Lite @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 24 network cameras can be connected | ناموجود |
| 43 | IDS-7216HQHI-M2/XT | *** | 16-ch 1080p 1U H.265 AcuSense DVR - Support 4-ch Facial Recognition or 8-ch advanced model Perimeter - Protection based on Deep Learning algorithm - Support 8-ch AcuSearch Technology - Efficient H.265 pro+ compression technology - Encoding ability up to 3K/SMP Lite@12fps - Up to 24 channels IP camera inputs, each channel up to 6MP - Up to 24*1080P@30fps decoding ability - 5 signals input adaptively (HDTV/LAHD/CV/CVSK)P) - Support All channels Motion Detection Technology - Support All channels HDTVI Two-Way Audio technology | IRR 196,430,000 |
| 44 | iDS-7216HQHI-M2/S | (0, Q) (g) a | 16-ch 1080p 1U H.265 AcuSense DVR - 16 channels and 2 HDDs 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 3K/SM little @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 24 network cameras can be connected | IRR 221,720,000 |
| 45 | DS-7216HUHI-K2 | | 16-ch 5 MP 1U H.265 DVR - 16 channels and 2 HDDs 1U DVR Efficient H.265 pro- compression technology - Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 32 network cameras can be connected | IRR 314,110,000 |
| 46 | iDS-7216HUHI-M2/S | 8.00 | 16-ch 5 MP 1U H.265 AcuSense DVR - Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection - Efficient H.265 pro- compression technology Up to 8 MP@8 fps/5 MP@12 fps encoding capability - HDTVI/AHD/CVI/CVBS/IP video inputs Up to 32-ch IP camera inputs (up to 8 MP) | IRR 332,420,000 |
| | | | DVR - 32ch | |
| 47 | iDS-7232HQHI-M2/S | # 0 g . | 32-ch 1080p 1U H.265 AcuSense DVR Deep learning-based motion detection 20 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 40 network cameras can be connected | IRR 346,000,000 |

www.armandidehpardaz.com | 02188909327 \ 02166740895

تهران- خيابان كريمخان، خيابان نجات الهي، كوچه خسرو، پلاك 45، واحد 2